



TECHNICAL DATA SHEET

Metal Rubs

Product Description: **Metal Rubs** are designed to help create a slightly aged metallic look on virtually any surface. They come in a paste like consistency and are easily applied by brush or microfiber towel. Dry brushing techniques are fantastic when used with the Metal Rubs. For larger surface coverage, the microfiber is best to help burnish the coating in to eliminate too much build up. Often, 1 coat is enough but if more coats are desired, wait at least 1 hour before reapplying. If desired, the Metal Rubs can also be blended together to get a specific color shade. Metal Rubs can be clear coated after a minimum of waiting 3 days and only if thin coats were applied.

Safety: Use in a well ventilated area. Always wear goggles or face shield, vapor respirator, protective clothing and gloves when handling the product.

Directions: **1)** Clean the metal with Sculpt Nouveau Metal Cleaner and Degreaser and a Scotch-Brite pad, rinse with water after a few minutes. For more consistent and better reactions, sanding or sandblasting is recommended. Cleaning the surface is mandatory after sanding or handling with bare hands.

DO NOT use Acetone or any solvent based cleaners.

2) Apply the Metal Rub to the surface by brush, sponge, or microfiber towel; however you get the coating on the metal, it will react with the surface but it may show characteristics based on application method.

3) Reapply the Metal Rub as needed to achieve the desired finish.

4) Heat the metal with a torch or heat gun to evaporate excess moisture in the metal. When cool, apply desired clear coat such as Clear Guard or Ever Clear.

DO NOT HEAT THE METAL RUB WHILE IT IS STILL WET OR FRESH FROM APPLICATION!

Before Using: Please read, understand, and follow all the precautions shown on the product label and on the Safety Data Sheets.

The Safety Data Sheets can be found on our website: www.sculptnouveau.com

Technical Data

Appearance: Solid color of purchase

Coverage: About 3 sqft/oz

Recoat Time: About 1 hour

Cure Time: 3 days

Recommended Coats: As needed

Recommended Thinner: Small amounts of Turpentine

Recommended Clean Up: Solvents

Temperature: 50-80°

Humidity: <50%

Phone: +760 432 8242

Fax: 760 741 1074

Sculpt Nouveau, LLC
1155 Industrial Ave
Escondido, CA, 92029

E-Mail:
info@sculptnouveau.com
Website:
www.sculptnouveau.com